

Response Under 37 CFR § 1.116 * -- Expedited Procedure -- Examining Group 3727
Docket No.: 1324.034
Serial Number:10/010,745

Amendments to the Claims:

This listing of claims will replace all prior versions and listings, of claims in the application:

Listing of Claims:

1. **(Currently Amended)** A feeding bottle comprising:
a bottle body including an open end for mounting a teat assembly, and an air inlet; and
a stopper assembly, the stopper assembly being mounted to the bottle body and
including a stopper manually moveable between a closed position in which the air inlet is closed
by the stopper, and an open position in which the air inlet is open;
wherein the stopper assembly further includes a stopper retainer separate from said
stopper, said stopper retainer moveable between a first position in which the stopper retainer
prevents movement of the stopper from the closed position to the open position and a second
position in which the stopper retainer permits movement of the stopper between the open
position and the closed position[.];
and wherein said stopper retainer is attached to said bottle body in said first position and
in said second position.
2. **(Original)** A bottle as claimed in Claim 1, in which the stopper is biased to the closed
position.
3. **(Previously Presented)** A bottle as claimed in Claim 1, in which the bottle body
includes a base end, and the air inlet is provided at or near the base end.
4. **(Previously Presented)** A bottle as claimed in claim 1, in which when the bottle is
held in one hand in use, the stopper is operable by one finger of the hand.
5. **(Previously Presented)** A bottle as claimed in claim 1, in which the stopper
assembly is pivotal to move the stopper between the closed and open positions.
6. **(Previously Presented)** A bottle as claimed in claim 1, in which the stopper

Response Under 37 CFR § 1.116 * -- Expedited Procedure -- Examining Group 3727
Docket No.: 1324.034
Serial Number: 10/010,745

assembly is releasably attachable to the bottle body.

7. **(Previously Presented)** A bottle as claimed in claim 1, in which the stopper assembly includes an aperture alignable with the air inlet.
- 8-9. **(Cancelled)**
10. **(Withdrawn)** A bottle as claimed in claim 1, further including a teat assembly, the teat assembly being reversible between a drinking position and a sealed position.
11. **(Withdrawn)** A bottle as claimed in claim 1, further comprising a liner receivable in the bottle body and having an air inlet formation cooperating with the bottle body inlet.
12. **(Withdrawn)** A bottle as claimed in claim 11 further comprising a piercing element for piercing the liner in the vicinity of the air inlet formation.
13. **(Withdrawn)** A bottle as claimed in claim 11, in which the air inlet formation is provided on an insert in the base of the liner.
14. **(Withdrawn)** A bottle as claimed in any of claim 11, in which the liner is pre-filled with liquid and sealed.
15. **(Withdrawn)** A bottle as claimed in claim 11, in which the bottle body includes a lower portion and an upper portion, including said open end, movably attached to said lower portion between two or more angular positions.
16. **(Previously Presented)** A stopper assembly for a bottle as claimed in claim 1, the stopper assembly comprising a pivot arm bearing a stopper and a biasing element for biasing the stopper to a closed position.
17. **(Withdrawn)** A feeding bottle stand adapted to support a feeding bottle when not in use so that the bottle is inclined and points downwardly with respect to the horizontal.

Response Under 37 CFR § 1.116 * -- Expedited Procedure -- Examining Group 3727
Docket No.: 1324.034
Serial Number:10/010,745

18. **(Withdrawn)** A stand as claimed in Claim 17, wherein the feeding bottle comprises:
a bottle body including an open end for mounting a teat assembly, and an air inlet; and
a stopper assembly, the stopper assembly being mounted to the bottle body and
including a stopper manually moveable between a closed position in which the air inlet is closed
by the stopper, and an open position in which the air inlet is open.
19. **(Withdrawn)** A stand as claimed in Claim 18, in which the stand is arranged to support
the bottle such that the stopper assembly is provided on an uppermost surface of the supported
bottle.
20. **(Withdrawn)** A stand as claimed in any claim 17, further including a heater arranged to
heat the bottle body contents.
21. **(Withdrawn)** A stand as claimed in claim 20 further including a temperature sensor for
sensing the vessel body content temperature.
22. **(Withdrawn)** A stand as claimed in claim 20 in which the temperature sensor provides
a feed-back signal to the heater.
23. **(Withdrawn)** A mouthpiece assembly for a feeding and/or drinking vessel comprising a
retaining ring, a mouthpiece and a mouthpiece plug, in which the mouthpiece is retainable by the
retaining ring in each of a first, feeding position and a second, reversed, sealing position, the
mouthpiece plug being sealable against the mouthpiece by the retaining ring in the second
position.
24. **(Withdrawn)** A mouthpiece assembly as claimed in claim 23 in which the mouthpiece
comprises a teat.
25. **(Withdrawn)** A feeding and/or drinking vessel including a mouthpiece assembly
retaining formation and a mouthpiece assembly as claimed in claim 23 reversibly retained to the
retaining formation.
26. **(Withdrawn)** A feeding bottle comprising a bottle body including an open end for

Response Under 37 CFR § 1.116 * -- Expedited Procedure -- Examining Group 3727
Docket No.: 1324.034
Serial Number: 10/010,745

mounting a teat assembly and a liner, the liner and bottle body having cooperating air inlet formations, the bottle further comprising a stopper assembly mounted to the bottle body and including a stopper manually movable between a closed position in which the liner air inlet formation is closed by the stopper and an open position in which the liner air inlet formation is open.

27. **(Withdrawn)** A bottle as claimed in claim 26 further comprising a piercing element for piercing the liner in the vicinity of the liner air inlet formation.

28. **(Withdrawn)** A feeding bottle filling station for a feeding bottle comprising a bottle body and a teat assembly, the station comprising at least one location for a bottle body and a teat assembly holding element laterally movable between a position suspended above the bottle body and a laterally spaced position and vertically movable between the suspended position and a bottle body engaging position.

29. **(Withdrawn)** A feeding bottle comprising a bottle body having an upper portion and a lower portion, the upper portion including an open end for mounting a teat assembly and being movably mountable on the lower portion between two or more angular positions.

30. **(Withdrawn)** A feeding or drinking vessel liner for insertion into a feeding or drinking vessel body, the liner being sterile and pre-filled with feed or feed constituent.

31-33. **(Cancelled)**